Subject Index

ABP. *See* Androgen-binding protein
Acid phosphatases
  in testis, 688–689
Acidic epididymal glycoprotein
  localization, 31–34
  role of, 35
  translation, 34
Acrosomal glycoproteins
  spermatogenesis traced using, 515–518
ACTH (adrenocorticotropin)
  cholesterol and cytochrome P-450 and, 259, 264
Adenosine
  effect of steroidogenesis, 609–611
Adenylate cyclase (AC)
  activity in cryptorchid rats, 606–608
  cation dependency, 21–22
  characterization of, 18–28
  effect of tubulin on, 21
  gonadotropin stimulation, 606–608
  hydrodynamics, 23–24
  in bull sperm, 20–21
  in ram sperm, 18–28
  isoproterenol stimulation, 606–608
  kinetics of, 21–22
  proteolytic activation of, 18–21
  purification, 25–27
  solubilization, 18–21
  thermodegradation, 22
Adenylyl cyclase
  germ cells, effect on, 576–578
  regulation of
    by catecholamines, 551–553
    by FSH, 551–553
    by Mg^{2+}, 551–553
  response to hormone, 551–553
  Sertoli cell, in, 551–553, 576–578
Adrenal gland
  adrenocorticotropin in, fetal production of, 677–680
Adrenocorticotropin (ACTH)
  effect on testosterone production, 677–680
  fetal production of, 677–680
Adrenodoxin
  synthesis of, in Leydig cells, 260–269
Aging, 490–491
  See also LH, 492–495
AMP
  sperm motility and, 132–139
Aldosterone
  localization in epididymis, 670
cAMP
  accumulation in Sertoli cell, 569–571
  neonatal and adult levels of, 290–291
Bu_2cAMP
  adrenodoxin synthesis and, 262–263
  cAMP production and, 266
  cytochrome P-450 and, synthesis and content of, 262–264
  cytochrome P-450 synthesis and, 262
  testosterone production and, 261, 262, 266
Androgen
  biosynthesis, inhibition of, 622–624
  in regulation of ornithine decarboxylase, 74, 80–83
  receptors of
    Sertoli cell in, 588–590
    characterization with affinity labeling, 45
    covalent attachment, 49–50
    hormonal regulation of, 586–587
    in ventral prostate, 39–53
    properties of, 44–45
    properties of complex with affinity label, 50–52
    purification of, 39–44
    Sertoli cell, in, 586–587
Androgen-binding protein (ABP)
  effect of 20α - hydroxyprogesterone, 615–617
  measurement of, 418
  secretion of, 418, 435
Androgen receptor
  8S - androgen receptor-promoting factor
    assay for, 87
    inhibition of, 93–97
    purification of, 87
    Zn^{2+}, effects on, 87–90, 97–99
  binding
    ionic strength effect, 92
    saturability, 90–91
    temperature effects, 91–92
    tissue differences, 90–91
    Zn^{2+}, effects on, 87–90, 97–99
  binding of 5α - dihydrotestosterone, 55–58, 64–66
    association with nuclear acceptor, 57–58
    interaction with RNA, 57–59
    transformation of, 55–56
  binding of dihydrotestosterone
    abnormalities, 66

disorders of
endocrinology of, 64
infertile male syndrome, 64
pseudohermaphroditism, 63–64
Reifenstein syndrome, 63–64
testicular feminization, 63
function of, 61–71
β - glucuronidase mRNA dependence on, 111
in rat ventral prostate, 54–60
interaction with nuclei and nuclear matrix, 85–100
kidney androgen-regulated protein mRNA dependence on, 111
regulation of ornithine decarboxylase expression, 74, 80–83
Δ^4 - androstenedione (Δ^4), 304
hCG and 17-KSR and, 316, 318–320
hCG and 17,20-D and, 316–320
hCG stimulation in men, 311–312
hCG stimulation in prepubertal boys, 312–314
hCG stimulation in pubertal boys, 315
hCG/LH stimulation and, 305
testosterone and, in maturation, 324
Antibodies
effects of vasectomy and vasovasostomy on production of, 501–503
Antisperm antibodies
altered antigenicity of, 504–507
Aprotinin
dynein ATPase and, 535
in preventing motility, 535–536
Arachidonic acid metabolism
calcium A23187 and, 277–279
inhibitors and LH-stimulated steroidogenesis, 270, 280
inhibitors of, 270, 277–279, 279, 280
inhibitors of, and LHRH-stimulated steroidogenesis, 270
lipoxygenase products of, and cholesterol transport, 280
Arginine vasotocin, 622–624
Aromatase activity
regulation of, 666–669
Asteroidea. *See* Echinoderms
Atherosclerosis
circulating immune complexes and, vasectomy and vasovasostomy effects on, 501–503
Atrichosis (*at*)
Leydig and Sertoli cell production and, 520–521
spermatogenesis and steroidogenesis and, 519–521

Basal lamina. *See* Extracellular matrix; Seminiferous tubule
Benign prostatic hyperplasia (BPH)
adult UGE in, 396–398
chimeric prostate as model for, 394
DNA content in, 395–396, 397–398, 401
fetal and adult UGS in, 396–398
glucose phosphate isomerase (GPI) in, 395–396
morphology of, 395–396
mouse and human, 402–403
pathology of, 394
protein content in, 398
RNA content in, 398
role of urogenital epithelium (UGE) in, 394
role of urogenital sinus mesenchyme (UGM) in, 394
testicular androgen and, 398–399
tissue interaction and development in, 402
UGS implementation and, 395–396
UGS-induced, 398–399
adult, 402–402
site specificity in, 400
strain and species specificity in, 400–401
tissue specificity in, 399–400
Biopsies
testicular, materials and methods for, 481–484
Boar
epididymal sperm maturation of, 526–529

Carbonic anhydrase A23187
LH agonist and, in testosterone production, 272–274
LHRH agonist and, in cAMP production, 275–276
Calcitonin
as possible motility inhibitor, 367–369
role in motility, 365–369
Calcium (Ca^{2+})
LHRH agonist and, in testosterone production, 272–273
sperm motility and, 134–140
Caudal epididymis (CE)
function and mechanisms, 530
Cell lines
S115, 115
TM_3 in, 688–689
TM_4, 588–590
TM_4 in, 688–689
TR-1, 588–590
TR-1 in, 688–689

TR-M, 572–575, 588–590
TR-M in, 688–689
TR-ST in, 688–689
Centrifugal elutriation
See also Leydig cell
hormones and proteins obtained from, 244–245, 255
Metrizamide fractionation and, 248–253, 255
hCG
See also Leydig cell
adrenodoxin synthesis and, 262–263, 265–266
cAMP production and, 266
binding sites, 684–687
binding to
Leydig cell, 594–597
cytochrome P-450 and, synthesis and content of, 262–264, 265–266
deficient virilization and, 447–448, 450–451
17,20 - desmolase (17,20-D) deficiency and, 306, 312, 315–320
effects in cryptorchidism, 602–605
effects on HH, 306
estrogen responses and, 310–315
HH and, 306–307
induced enzymatic blocks, 315–320
induced testicular desensitization, 304, 305
17 - ketosteroid reductase (17-KSR) deficiency and, 306, 315–320
Leydig cell function and, 304
pregnenolone, stimulation by, 253
progesterone accumulations and, 266
resensitization and, 312
C_{21} steroid accumulation and, 305
steroidogenic desensitization and, 315–320
testosterone precursors and, 310–315
testosterone production and, 259, 261, 262–264, 266
testosterone, stimulation by, 253
Ciona intestinalis. *See* Tunicate
Circulating immune complexes
vasectomy and vasovasostomy and, 501–503
Collagen, Type IV, 417, 423–433
Cryptorchidism
adenylate cyclase activity in, 606–608
hCG effects in, 602–605
effect on Leydig cell, 612–614
effect on Sertoli cell, 612–614
steroidogenesis, 602–605
Cyclic AMP
adenosine, effect on, 563–565
formation in Sertoli cells, 563–565
glucagon, effect on, 563–565
regulation by FSH and isoproterenol, 563–565
Cytochrome P-450
activity decrease in, 649–651
FSH and, 265
gonadotropic stimulation and, 289
in Leydig cells, 649–651
pregnenolone and, 260
Sprague-Dawley rats, 260–266
steroid production and, 280
synthesis of, in Leydig cells, 260–267
Cytoplasmic bridges
in canine testis, 472
ultrastructural study of, 472–475

Delta^4 pathway, 304
hCG stimulation in adult men, 310–312
Δ^5 pathway, 304
testosterone biosynthesis, 312
Dehydroepiandrosterone (DHA), 304
hCG and 17,20-D, 317–320
hCG stimulation in men, 311
17,20 - desmolase (17,20-D)
age-related steroidogenesis, 315–320
steroidogenic desensitization and, 305, 312
Dexamethasone
suppression of and steroid response, 311
Dihydrotestosterone, 64–66
Dihydrotestosterone - 17β - bromoacetate, 45–52
1,25 - Dihydroxyvitamin D_3
receptor for, 591–593
Dioxin
effect on testosterone hydroxylation, 645–648
cDNA
alpha-lactalbumin, 8–17
hybridization probes, 10–11
to isolate αtubulin, 523
to isolate testis cDNA, 523
Dynein
ATPase and sperm motility, 535
Dynein arms
ATP-dependent reaction and, 221–222
bouquet model of, 220
Chlamydomonas, STEM analysis of, 218, 219–220
sea urchin, STEM analysis of, 219, 221
Tetrahymena, STEM analysis of, 218, 219–221

E. coli
as immobilized in CE fluid, 530
Echinoderms, sperm, 540–542
Electrophilic affinity labeling, 45–52
ELISA, 508–510
β - endorphin
as possible motility inhibitor, 367–369
role in motility, 365–369
Enzyme-linked immunosorbent assay (ELISA)
detection of antisperm antibodies by, 504–507
SIT and SAT compared with, 512–514
Epididymal fluid
protein changes and, 528–529
surface components and, 527–529
Epididymis
See also Caudal epididymis
acidic epididymal glycoprotein in, 31–36
aldosterone localization in, 670
as origin of SMA 6, 533–534
α - lactalbumin in, 29, 34
morphology of, in lizard, 537
polyadenylated DNA in, 30–34
POMC mRNA in, 659–662
Epididymal epithelium
secretion of DAG-protein, 561–562
Epithelial cycle
differentiation during, 515–518
Epithelial testicular cords
components of, 405–409
formation of, 405–416
organization of, 405
regulatory factors of, 409
Epithelium
epididymal, 561–562
seminiferous. *See* Seminiferous epithelium
Escherichia coli. See E. coli
17β - estradiol (E^2), 304
hCG and 17-KSR and, 316, 318–320
hCG and 17,20-D and, 316–320
hCG stimulation in men, 311–312
hCG stimulation in prepubertal boys, 312–314
hCG stimulation in pubertal boys, 314
hCG/LH stimulation and, 305
Estradiol treatment
suppression of testosterone, 675–676
Estrogen
in androgen synthesis, 297–299
LH receptor regulation, 296–297
receptors of
localization of, 588–590
receptors of
Sertoli cells in, 588–590
steroidogenic desensitization and, 324
Estrone (E_1)
hCG stimulation in adult men, 311–312
Experimental allergic orchitis (EAO)
See also Infertile dark mink
H-2 influence of, 175–176, 182
histopathology of, 172–174, 175
immunogenic analysis, 175–177
non–H-2 influence of, 176
pathology of, 171–172, 182–186
vasitis and, 172, 176–177, 182
Extracellular matrix, 417
components, 436–445
components of, 407–409
effects on Sertoli cell, 572–575
effect on Sertoli cell morphology, 423–433
regulatory factors, 409–415
synthesis of, 409

Fertility
LHRH agonist and, 371
Fertilization, 504, 510
Fibronectin, 417, 436–445
See also Extracellular matrix, 407–409
FSH
binding of
inhibition, 579–581
effect of transferrin mRNA, 4–7
effect on Leydig cells, 684–687
GnRH-like factor and stimulation of, 382
response by Sertoli cell, 569–571
role of Sertoli cells and, 684–687

Galactosyl transferases. *See* α - lactalbumin and α - lactalbumin-like
Germ cells
cytoplasmic bridges between, 472–475
effect on adenylyl cyclase, 576–578
effect on Sertoli cells, 576–578
interaction with Sertoli cells, 557–560
lactate, use of, 557–560
pyruvate, use of, 557–560
Glucose. *See* Metabolism
β - glucuronidase
mRNA
dependence on androgen receptor, 111
cDNA clones from, 104–105
cDNA structural map, 107–110
expression of, 110–111
purification of, 103–104
GnRH
effect on phospholipid turnover, 642–644
Leydig cells and, 382
testicular, 382
GnRH-like factor
biochemical characteristics, 383–385

in human seminal plasma, 387–389
in Leydig-Sertoli cell culture, 385–387
Leydig cell patterns and, 382–383
LH-stimulated testosterone and, 386–387
molecular weights, 382
partial isolation of, 383–385
sources of, 382
tissue specificity of, 384
toxicity and, 386
various definitions, 382
Gonadotropins
ABP
Sertoli cell activity, 554–556
effect of 20α - hydroxyprogesterone, 615–617
effect on LH receptors, 594–597
effect on Sertoli cell activity, 554–556
receptors, effect of hCG, 602–605
regulation of 3β - hydroxysteroid dehydrogenase, 663–665
relationship with seminiferous epithelium, 554–556
Gossypol
effect on
glucose metabolism, 543–545
testicular germ cells, 543–545
Growth factors
effect on prostate, 582–585
urogenital sinus-derived, 582–585

Hormones. *See* specific hormones
17α - hydroxylase
testicular desensitization and, 305
Hydroxylase, testosterone, 645–648
17α - hydroxypregnenolone (OHPreg), 304
hCG and 17,20-D and, 316–320
hCG stimulation in men, 311
17α - hydroxyprogesterone (αOHP)
hCG and 17-KSR and, 316, 318–320
hCG and 17,20-D and, 316–320
hCG stimulation in men, 311–312
hCG stimulation in prepubertal boys, 312–314
hCG stimulation in pubertal boys, 315
hCG/LH stimulation and, 305
20α - hydroxyprogesterone
effects on ABP, 615–617
effects on gonadotropins, 615–617
effects on testosterone, 615–617
regulatory function of, 615–617
17 - hydroxyprogesterone
hCG stimulation of, 291–292
3β - hydroxysteroid dehydrogenase
regulation of, by gonadotropin, 663–665
Hypogonadotropic hypogonadism (HH)
See also Infertility
hCG and maturation of germinal epithelium in, 455–456, 458
hCG dosage and administration, 454–456
hCG-induced spermatogenesis in, 454, 457
hCG stimulating testosterone in, 454–455
hCG/hMG and pregnancy, 458
hCG/hPG and pregnancy rate, 450–451
complete, and gonadotropic therapy, 460–461
DNA content and spermatogenesis, 459–461
E_2 levels in, 455
etiology of, 447–448
FSH bioactivity and steroidogenic desensitization, 324
FSH/LH deficiency, 454, 457, 458
GnRH in treating, 452
gonadotropic therapy and pregnancy, 460–461
idiopathic, 454
idiopathic (IHH), and delayed puberty, 462–464
Kallman's syndrome and, 447, 450
LH bioactivity and steroidogenic desensitization, 324
morphology of, 457
partial, and gonadotropic therapy, 460–461
steroidogenesis and, 320–325
testosterone levels and, 448–450

Immobilin
in rat CE fluid, 530–532
Immunobead binding
detection of antisperm antibodies by, 504–507
Inbred mice. *See* Mice
Infertile dark mink
See also Experimental allergic orchitis
autoimmune orchitis in, 182–185
hypothalamic function in, 177, 181–182, 186
luteinizing hormone in, 177, 179, 181–182
sexual cycle in, 178
testosterone and, 177, 178–180, 182
Infertile male syndrome, 63–64
Infertility, 504–507
See also Hypogonadotropic hypogonadism
hCG/hPG in HH, 449–451
FSH in treating, 449–450, 458
GnRH in treating, 452
LH in treating, 450

male, 61–71
model of, 519–521
sperm membrane tests to determine, 512–514
Insulin
effect of transferrin mRNA, 4–7
Interferon, 115, 116, 120
Iron (Fe^{3+})
transport mechanism to spermatids, 204

Kartagener's syndrome, 206
17 - ketosteroid reductase (17-KSR) deficiency, 306
steroidogenesis, age and, 315–320
Kidney
androgen regulation in, 101–114
See also Kidney androgen-regulated protein
ornithine decarboxylase in, 72–84
Kidney androgen-regulated protein (KARP) mRNA
dependence on androgen receptor, 111
cDNA clones from, 104–105
cDNA structural map, 107–110
expression of, 110–111
purification of, 103–104

Lacerta vivipara. *See* Lizard
α - lactalbumin
activity, 9–14
characterization of, 11–13
composition of, 9
cDNA
hybridization with, 9–13
localization, 11–13
mRNA, 10
role in reproductive tract, 8–17
synthesis of, 8–9
transfer of galactose to inositol, 13–14
α - lactalbumin-like protein
activity, 10–15
capacitation, role in, 14
composition of, 9
fertilization, role in, 14
similarity to calmodulin, 14
sperm motility, role in, 14
Lamb
cryptorchidism in, 612–614
Laminin, 417, 423, 436–445
LDH (lactate dehydrogenase)–C_4
antigenic domains in, 161–167
antigenic peptides of, 159–161
biochemical properties of, 156
immune response to, 156–157,166–168
immunocontraceptive potential of, 167–168
monoclonal antibodies to, 157–159
physiological properties of, 156
synthetic peptides and, 163–167
Leydig cell
adenosine effect on, 609–611
aromatase activity in, 666–669
binding of hCG, 594–597
centrifugal elutriation in obtaining, 238–244
hCG binding to, 244, 245–247, 253–255, 256
hCG (human chorionic gonadotropin) receptors location in, 224, 227–230, 233–235
hCG-stimulated testosterone production in, 226
co-culture with Sertoli cells, 684–687
cytochrome P-450 activity in, 649–651
cytoplasmic mass of, age-related, 490–491
daily sperm production and, 490–491
density gradient centrifugation purification of, 237–238
desensitization of, 253–256
effect of cryptorchidism, 612–614
effect of FSH on, 684–687
estradiol treatment of, 675–676
FSH level in, age-related, 490–491
GnRH effects in, 642–644
GnRH (gonadotropin releasing hormone) receptor sites and, 244–248
GnRH in, 629–631
growth of, 690–691
interaction with Sertoli cells, 681–683
lactogen receptors, 598–601
LH action, 625–628
LH and, 224, 233–235
LH level in, age-related, 490–491
LH receptor in, 254–256, 594–597
LHRH action, 625–628
macrophages, similarities to, 618–621
[^{35}S] methionine in, incorporation of, 226–227, 228–229, 231–233, 331–332, 343
Metrizamide fractionation, purification of, 248–253
model system of, 638–641
morphology of, 684–687
morphometry of, 636–637
neurohypophysial hormones, action of, 622–624
Percoll-separated, 329–343

purification and characterization of, 340–343
purification of, 636–637
smooth endoplasmic reticulum in, 339–340
steroidogenesis in, 269–281, 625–628, 629–631
steroidogenic activity, 609–611
stimulation of, 629–631
testosterone production in, 224, 226
testosterone production in regulation of, 681–683
testosterone synthesis in genetic model of, 652–658
tyrosine protein kinase in, 632–634
Leydig cell lines
POMC mRNA in, 659–662
Leydig cell maturation
[^{125}I] hCG binding in, 284
development of steroidogenic lesion, 294–296, 297–300
LH levels in, 284
morphological differentiation in, 284
regulatory mechanisms, 296–300
steroidogenesis in, 284–285, 289–292, 297–300
LH
See also Leydig cell
age and illness, effects of, 493–495
bio/immune ratios of, 492–495
Ca^{2+} and, in steroidogenesis, 279
cholesterol side-chain cleavage and, 274–276
cyclooxygenase inhibitors and, 276–277, 281
effect on steroidogenesis, 625–628
GnRH and, exogenous and endogenous, 485–488
GnRH-like factor and stimulation of, 382
22(R) - hydroxycholesterol metabolism and, in testosterone production, 275–276
LHRH and, in steroid metabolism, 279–280
LHRH and, in testosterone production, 275–276
lipoxygenase inhibitors and, in testosterone production, 276–277, 281
opiate-receptor antagonist and, 486–488
pulse frequency of, 486–488
regulating testicular secretions, 304
restoration effects of, 337–339
secretion of, 485–489
testicular desensitization and, 305, 324
testosterone production and, 259, 264
trophic effects of, 329–343
withdrawal effects of, 334
LH receptors
bromocriptine hypoprolactinemia and, 289
hCG binding in maturation and, 285–287, 292–294, 297–299
down-regulation and, 287–288, 290, 296
effect of gonadotropins, 594–597
GnRH-A and hCG effect on, 297–299
GnRH agonist and, 286, 297
GnRH agonist effect on, 297–299
high hCG stimulation and, 287–288
hypophysectomy and, 286
level of receptors in maturation, 284
ovarian, 285
pH in maturation and, 287
Prl receptor mechanism and, 288–289
LHRH
effect on steroidogenesis, 625–628
LHRH-like material, characteristics of, 390
pituitary, 372–373
produced in testis, 371
LHRH agonist
cAMP, action on, 625–628
cAMP and, effects on steroidogenesis, 269, 270–271, 279
Ca A23187 and, effects on steroidogenesis, 272–274, 279
Ca^{2+}, action on, 625–628
Ca^{2+} and, effects on steroidogenesis, 269, 272–274, 279
cholesterol side-chain cleavage and, 269, 274–276, 280–281
cyclooxygenase inhibitors and, 267–277, 280
cytochrome P-450 synthesis and, 280
effect on steroidogenesis, 625–628
22(R) - hydroxycholesterol metabolism and, 279, 280
25 - hydroxycholesterol metabolism and, 274–276, 279,280
LH and, in testosterone production, 275–276, 279–280
lipoxygenase inhibitors and, 267–277, 280
pregnenolone conversion and, 280, 281
receptor binding, 372–373
testosterone production and, 271
LHRH-like immunoreactivity (LHRH-I)
estrogen and, 391
FSH activity in, 391, 393
hypothalmic LHRH and, 391–393
immunological characteristics, 391–393
LH activity in, 391, 393
molecular weight, 390, 391–393
progesterone and, 391
LHRH peptidase

effects of RIA on, 375–376, 379
fertility and, 371
FSH stimulation, 371, 376, 379
in Sertoli cells, 371, 372
in testicular cytosols, 372
LH stimulation, 371, 376, 379
LHRH agonist and, 371
locations of, 375
prolactin and, 378–379
RIA, 372–374
testicular inhibitors of, 373–374
testicular, purification of, 376–379
TSH (thyroid stimulating hormone) and, 378–379
Lipoxygenase inhibitors
cAMP-stimulated steroidogenesis and, 280
LH agonist action and, 281
LH and, in cAMP production, 276–277, 280
LH-stimulated steroidogenesis and, 276–277, 280
LHRH agonist action and, 281
LHRH and, in testosterone production, 275–276
Lizard
sperm motility and storage in, 537–539
Lutenizing hormone (LH)
idiopathic post-pubertal deficiency of, 497–500
Lytechinus pictus. *See* Sea urchin

Macaca fascicularis. *See* Rhesus monkey
Macaca mulatta. *See* Rhesus monkey
Macrophages
Leydig cells, similarities to, 618–621
Male contraception, 471
Maturation
steroidogenesis and, 307–325
Met-enkaphalin
role in motility, 365–369
Metabolism
glucose
effect of gossypol on, 543–545
lipids, of, 566–568
palmitate, of, 566–568
Sertoli cells, in, 566–568
testicular germ cells, of, 543–545
Mg•ATP
sperm motility and, 129–131
Mice (inbred)
genetic control of spermatogenesis and steroidogenesis in, 519–521
Microtus oregoni
separation of heterogametic sperm in, 200–202
See also Sperm morphology
Monoclonal antibodies
spermatogenesis traced using, 515–518
to determine agglutination or immobilization, 508–511
Motility
See also t complex
initiation of, 530–532
pH level and, 530–532
Myoid cell
enzymes in, 688–689
Myoid cell, peritubular
Sertoli cell
co-culture with, 435–445
cooperativity with, 435–445

Neurohypophysial hormones
arginine vasotocin, 622–624
inhibition of androgen synthesis, 622–624
Leydig cells in, 622–624
Nuclear matrix
binding of androgen receptor to, 89–90
interaction with androgen receptor Zn^{2+} dependence, 87–90, 97–99

Ornithine decarboxylase (ODC)
androgen receptor, regulation by, 80–83
induction of, by steroids, 72–74
mRNA
accumulation of, 80–83
cloning cDNA from, 75–76
purification of, 75
Ovotestes development, 671–674

Percoll density gradients
purification of interstitial cells, 636–637
Phospholipid methylation
chemoattractant, as, 540–542
effect on spermatozoa, 540–542
POMC-derived proteins
immunochemical localization of, 347–348
immunoreactive, 348–351
Leydig cells, in
ontogeny of, 354–356
presence in, 347–348
steroid-secreting cells, in, 360–362
testis, in
function of, 356–360
nature of, 348–351
regulation of, 356
POMC-like gene. *See* POMC and mRNA
POMC-like mRNA
testicular, 351–354

POMC mRNA
in epididymis, 659–662
in Leydig cell lines, 659–662
in testis, 659–662
Pregnancy
testosterone effects, 546–548
Pregnenolone, 304
hCG stimulation in men, 311
Prepuberty, 306, 309–310, 314–315, 316–320
Primates. *See* specific species
Pro-opiomelanocortin (POMC)
antigenic domains, 347–348
immunochemical localization, 347–348
in steroid-secreting cells, 360–362
Progesterone
hCG and 17-KSR and, 318–320
hCG and 17,20-D and, 316–320
hCG and, in men, 311
hCG stimulation and, in prepubertal boys, 312–313
hCG stimulation of, 291–292, 297–299
C_{21} steroid side-chain cleavage and, 290–292
Prolactin (PRL)
differentiating, chlorpromazine and, 462–464
estrogens and production of, 463
IHH and delayed puberty, 462–464
receptors
cryptorchidism, 602–605
regulation of, 598–601
Prolactin (PRL) receptors
bromocriptine hypoprolactinemia and, 289
gonadotropin stimulation and, 285
heterologous down-regulation and, 288
hypophysectomy and, 286
LH receptor mechanism and, 288–289
negative heterologous regulation of, 294
Prostatic hyperplasia, 582–585
Prostatic steroid binding protein (PSB)
gene organization in, 115, 117–118
gene transcription of, 122–123
expression, 118–119
interferon in, 115, 116, 120
polypeptides in, 115
testosterone in
effects of, 115, 118, 120, 122–123
Protamine
haploid-specific gene for, 524–525
Pseudohermaphroditism, 63–64
Puberty, 310
IHH and delayed, 462–464

Radiation
testicular
effects of, 554–556
Rat
H^{re} gene, 569–571
Reifenstein syndrome, 63–64
Retinol
effect of transferrin mRNA, 4–7
Rhesus monkey, 501–503
hypogonadotropism in, 549–550
mRNA
ornithine decarboxylase, 75–83
RNA, polyadenylated
isolation of, 30–34
translation products of, 31–34

Scanning transmission electron microscopy (STEM)
compared to transmission electron microscopy, 217
methods of using, 217–218
Sea urchin
See also Sperm motility, 132–141
Semen
calcitonin and motility, 365–369
β - endorphin and motility, 365–369
met-enkephalin and motility, 365–369
Seminal plasma
GnRH-like factor in, 387–389
Seminiferous epithelium
regulation of testosterone production in, 681–683
relationship with gonadotropins, 554–556
stages of, 681–683
Seminiferous tubule
basal lamina
organization and formation of, 435
biomatrix, 441–445
inhibitory effects on Leydig cells, 371–372
LHRH peptidase in, 375
regulation of testosterone production in, 681–683
Sertoli cell
ABP secretion in, 418, 433
activity measurement
ABP, 554–556
adenylyl cyclase in, 551–553, 576–578
alpha-ketiosocaproate, production of, 557–560
AMP accumulation, 569–571
cAMP formation in, 563–565
androgen receptor in, 586–587, 588–590
co-culture with Leydig cells, 684–687
co-culture with myoid cells, 418
culture of, 418–433
cytoskeleton of, 423–433

effect of cryptorchidism, 612–614
effect of germ cells on, 576–578
effect of glucagon on, 563–565
effect on Leydig cells, 684–687
enzymes in, 688–689
estrogen receptor in, 588–590
extracellular matrix, effect of, 572–575
formation of seminiferous tubule, role in, 435–445
interaction with germ cells, 557–560
junctional complexes in, 476–479
lipid metabolism in, 566–568
microfilament bundles in, 476–479
morphology of, 418–433
effect of substrate on, 423–433
NBD-phallicidin stain, 478–479
palmitate metabolism in, 566–568
response to FSH, 569–571
secretion of DAG-protein, 561–562
transferrin in
secretion of, 1–4
synthesis of, 4–6
with peritubular myoid cell
co-culture with, 435–445
cooperativity with, 435–445
Sexual dysfunction
idiopathic post-pubertal LH deficiency and, 497–500
Sperm
See also Spermatogenesis; T complex
adenylate cyclase in, 18–28
bull, 20–21
chemoattractant, effect on, 540–542
chemotaxis, 540
gonadotropin treatment in HH, 459–461
physiology of, 465–471
ram, 18–28
structural maturity evaluation, 459–461
Sperm agglutination test (SAT)
SIT and ELISA compared with, 512–514
Sperm antibodies
tests for, 512–514
Sperm antigens
as characterized by monoclonal antibodies, 508–511
Sperm (boar)
composition of, 526
Sperm immobilization test (SIT)
SAT and ELISA compared with, 512–514
Sperm maturation
androgen dependence of, 533–534
androgen dependence of, in lizard, 538–539
recognized by anti-SMA 6, 533–534
Sperm maturation antigen (SMA), 533–534
Sperm morphology
chromosomal translocations, 190–191, 193–197
chromosome presence and, 199–203
DNA content and, measurements and shape of, 193–199, 200–201
quantitative microscopy of, 189–191
radiation-induced abnormalities in, 190, 193
slit-scan flow cytometry and, 191–193, 194, 199–200
Sperm motility
cAMP dependence in lizards, 538
dynein ATPase and, 535
protease inhibitors, effects of, 535–536
Sperm motility (bovine)
egg factors and, 144–146, 153
forward motility index, 146
FSH and, 145–146
Sperm motility inhibitor
dynein ATPase and, 130
physiochemical properties of, 128
reversibility of, 129–131
seminal plasma and, 125–131
species and, 125
tissues and, 126
Sperm motility (sea urchin)
activation of, 136–138
dynein and, 139
egg jelly and, 142–145, 152–153
FS-P in, 143, 152–153
quiescence and, 133–134, 135–136, 139–140
speract and, 143–147, 152–153
Sperm motility (tunicate)
activation of, 134–136
quiescence, 132–133; 139–140
Sperm production
Leydig cell cytoplasm and age and, 490–491
Sperm quiescence
in bulls, 530–532
in rats, 530–532
Sperm respiration
egg jelly presence and, 150–153
species specificity of, 153
speract stimulation of, 148–153
Sperm surface
role of SMA 6 and, 533–534
Sperm surface membrane
proteins and, 527
Sperm viability
androgen dependence of, in lizard, 538–539
Spermatogenesis
hCG in, 454–456, 465–466, 467–468
hCG/FSH in, 458, 466, 468–469
hCG/hPG in, 450–451

effect of testosterone on, 549–550
FSH role in, 465, 470–471
FSH/LH activity in, 466, 468–471
FSH/testosterone in, 466, 467–471
LH role in, 465, 466–467, 469–470, 471
regulation of, 549–550
suppression by testosterone, 546–548
testosterone in, 465–466, 467–468
Spermatogenesis *in vitro*
antibodies and squashes in tracing, 515–518
maturation and spermatid elongation in, 517
Spermatozoa
effect of phospholipid methylation on, 541
Spermiogenesis
progress of early, 518
protein synthesis and, 523
Staphylococcus aureus, 501–503
See also Atherosclerosis
Starfish. *See* Echinoderms
Sterility. *See* Infertility
Steroidogenesis
adenosine effects, 609–611
hCG effect on, 602–605
effects of LH, 625–628
effects of LHRH, 625–628
effects of LHRH agonist, 625–628
GnRH stimulation of, 629–631
in serum-free media, 690–691
Leydig cell, in, 609–611, 625–628
Stress
maternal, effect on testosterone production, 677–680
Strongylocentrotus purpuratus. *See* Sea urchin
sea urchin, 142–153
See also Sperm motility

T complex
abnormal motility and, 208–209
calcium and, effects of, 209–210
dancing and hyperactivity associated with, 206–209, 211, 212–214
factors affecting sperm, 206–207
female genital tract and motility in, 210, 212
galactosyltransferase levels in, 211
alpha-lactalbumin and, 211–212
transmission distortion (TD) and, 206–207, 212–214
Tamoxifen
steroidogenic desensitization and, 324
Testes
morphology of pathologic, 425–426
Testicular cells
collagenase-dispersed, 330–335
Testicular differentiation, 405–416
models of, 409–415
Testicular feminization, 63
Testicular feminization syndrome, 206
Testicular function
age and illness, effects of, 492–495
Testicular germ cells
glucose metabolism, 543–545
rat, 543
Testicular lactogen
hCG and binding of, 288
Testis
See also specific regions of, by name
development in ovary, induction of, 671–674
1,25 - dihydroxyvitamin D_3 receptor in, 591–593
POMC mRNA in, 659–662
secretory patterns of, 304–305
undescended, 306
Testosterone
age and illness, effects of, 493–495
biosynthetic precursors of, 304–305
hCG and 17-KSR and, 318–320
hCG and 17,20-D and, 316–317
hCG and dexamethasone suppression and, 308
hCG and, in men, 307–312
hCG and, in prepubertal boys, 309, 312–314
hCG and production of, 259, 264
hCG in pubertal boys, 312–315
hCG stimulation, 290–292
Δ^4 and, in maturation, 324
desensitization recovery and, 312
effect of 20α - hydroxyprogesterone, 615–617
effect on spermatogenesis, 549–550
effects on pregnancy, 546–548
exogenous, and spermatogenesis, 448
hydroxylation of, 645–648
in development of steroidogenic lesion, 294–296, 297–299
in managing deficient virilization, 448, 450–451
LH and, in men, 311
LH and production of, 259, 264
LH deficiency, idiopathic, and, 497–500
masculinization and, 299–300
metabolism of, 645–648
model of, 652–658
Naltrexone effects on, 486
neonatal and adult levels of, 289–290
production of, 304–305
regulation by, 115, 118, 120, 122–123

suppression of, by estradiol treatment, 675–676
suppression of spermatogenesis, 546–548
synthesis
effect of ACTH, 677–680
effect of maternal stress, 677–680
effects of cytochrome P-450 on, 649–651
synthetic capacity of, 290–291
Transferrin
cDNA, 4–7
function of
iron transport by, 1–4
measurement of
by RIA, 2–4
receptors for, 2–4
regulation of
by hormones, 4–7
mRNA
accumulation of, 5–6
regulation of, 4–7
synthesis of, 4–7
secretion of, by Sertoli cells, 1–7
Trypsin
sperm motility and, 138, 139
Tubulin
effect of adenylate cyclase on, 21
α tubulin
mRNA of recognized by cDNA, 523–525
Tunicate
See also Sperm motility, 132–141
Tyrosine protein kinase
in Leydig cells, 632–634

Urogenital sinus
growth factor derived from, 582–585

Vasectomy
circulating immune complexes and, 501–503
Vasovasostomy
circulating immune complexes and, 501–503
Vitamin D_3, 591–593

Western blot technique, 508–510

Zinc (Zn^{2+})
effects on androgen receptor binding, 87–90, 97–99